

Web: <http://cncarhs.com>

Sichuan HS International Trade Co., Ltd
Address: No. 269, Tianfu Second Street Gaoxin District Chengdu Sichuan
Mob: 86-028-81759494 Tel: 17882211901 Email: schswx@aliyun.com

Product Parameters Configuration(Geely Monjaro L)

Mondel Number	2023 2.0TD high power Automatic two-drive flagship model	2021 2.0TD DCT The EVO two-drive comfort model	2021 2.0TD DCT EVO two-drive home China model	2021 2.0TD DCT EVO two-drive noble type	2021 2.0TD DCT EVO two drive intelligent zun type	2021 2.0TD high power Automatic four-wheel-drive flagship model
essential information	Official guidance price	\$26,086	\$21,334	\$22,260	\$23,704	\$24,133
	rank	compact SUV	compact SUV	compact SUV	compact SUV	compact SUV
	Energy type	gasoline	gasoline	gasoline	gasoline	gasoline
	engine	2.0T 238 hp L4	2.0T 218 hp L4	2.0T 218 hp L4	2.0T 218 hp L4	2.0T 238 hp L4
	maximum power (kW)	175(238Ps)	160(218Ps)	160(218Ps)	160(218Ps)	175(238Ps)
	Maximum torque (N·m)	350	325	325	325	350
	gear-box	8 Fighter self-integration	7 Block double clutch	7 Block double clutch	7 Block double clutch	8 Fighter self-integration
	Length x, width x, height (mm)	4770x1895x1689	4770x1895x1689	4770x1895x1689	4770x1895x1689	4770x1895x1689
	bodywork	A 5-door, 5-seat SUV	A 5-door, 5-seat SUV	A 5-door, 5-seat SUV	A 5-door, 5-seat SUV	A 5-door, 5-seat SUV
	Top vehicle speed (km/h)	215	215	215	215	215
	Official 100 km acceleration time (s)		7.9	7.9	7.9	7.7
	Combined fuel consumption of NEDC (L / 100km)	7.7	6.8	6.8	6.8	7.8
	WLTC Combined Fuel Consumption (L / 100km)	—	—	—	—	—
	Power consumption per 100km (kWh / 100 km)	—	—	—	—	—
	Equistant range (km)	—	—	—	—	—
	long (mm)	4770	4770	4770	4770	4770
	wide (mm)	1895	1895	1895	1895	1895

tall (mm)	1689	1689	1689	1689	1689	1689
wheel base (mm)	2845	2845	2845	2845	2845	2845
front gauge (mm)	1610	1610	1610	1610	1610	1610
rear track (mm)	1610	1610	1610	1610	1610	1610
bodywork	SUV	SUV	SUV	SUV	SUV	SUV
Number of doors (full)	5	5	5	5	5	5
Door lift way	vertical hinged door	vertical hinged door	vertical hinged door	vertical hinged door	vertical hinged door	vertical hinged door
Number of seats (individual)	5	5	5	5	5	5
curb weight (kg)	1695	1675	1675	1675	1675	1780
Full-load mass (kg)	2160	2130	2130	2130	2130	2215
Ttank volume (L)	55	55	55	55	55	62
Luaggage compartment (L)	562	562	562	562	562	562
engine	displacement (mL)	1969	1969	1969	1969	1969
	displacement (L)	2	2	2	2	2
	Intake form	turbocharging	turbocharging	turbocharging	turbocharging	turbocharging
	Cylinder arrangement form	0	L	L	L	L
	Number of cylinders (individual)	4	4	4	4	4
	Number of valves per cylinder (full)	4	4	4	4	4
	reduction ratio	10.8	10.8	10.8	10.8	10.8
	admission gear	DOHC a	DOHC	DOHC	DQHC	DOHC
	maximum horsepower (Ps)	238	218	218	218	218
	maximum power (kW)	175	160	160	160	175
	Maximum power rotation speed (rpm)	5500	5000	5000	5000	5500
	Maximum torque (N · m)	350	325	325	325	350
	Maximum torque rotation speed (rpm)	1800-4500	1800-4500	1800-4500	1800-4500	1800-4500
	Fuel form	gasoline	gasoline	gasoline	gasoline	gasoline
	Fuel label	95#	95#	95#	95#	95#
	Oil supply method	direct injection				
	Cylinder cap material	aluminium	aluminium	aluminium	aluminium	aluminium
	Cylinder material	aluminium	aluminium	aluminium	aluminium	aluminium

gear-box	Transmission description	8 Fighter self-integration	7 Block double clutch	7 Block double clutch	7 Block double clutch	7 Forge double from the platform	8 Fighter self-integration
	Block digits	8	7	7	7	7	8
	Transmission type	Hand automatic transmission (AT)	Wet dual-clutch transmission (DCT)	Wet dual-clutch transmission (DCT)	Wet dual-clutch transmission (DCT)	Wet dual-clutch transmission (DCT)	Hand automatic transmission (AT)
	Drive way	Front-engine	Front-engine	Front-engine	Front-engine	Front-engine	Front-engine
	Before the county hanging form	McPherson type independent suspension	McPherson type independent suspension	McPherson-style independent county hang	McPherson-style independent county hang	McPherson type independent suspension	McPherson-style independent county hang
	After the county hanging form	Multi-link-type independent suspension	Multi-link-type independent suspension	Multi-link type independent county hanging	Multi-link type independent county hanging	Multi-link-type independent suspension	Multi-link type independent county hanging
	Steering type	Electric power	Electric power	Electric power	Electric power	Electric power	Electric power
	car body structure	Carrying type	Carrying type	Carrying type	Carrying type	Carrying type	Carrying type
	Front Brake Type	Ventilation disc type	Ventilation disc type	Ventilation disc type	Ventilation disc type	Ventilation disc type	Ventilation disc type
	Rear brake type	Solid disk type	Solid disk type	Solid disk type	Solid disk type	Solid disk type	Solid disk type
	Parking brake type	Electronic parking a	Electronic parking	Electronic parking	Electronic parking	Electronic parking	Electronic parking
	Front tire size size	245/45 R20	235/55 R18	235/55 R18	235/50 R19	245/45 R20	245/45 R20
	Rear tire size size	245/45 R20	235/55 R18	235/55 R18	235/50 R19	245/45 R20	245/45 R20
Chuan	Formal specification	· Non-full size	Non-full size	· Non-full size	· Non-full size	Non-full size	· Non-full size
	Place the spare tire	· concealed	· concealed	· concealed	· concealed	· concealed	· concealed
	ABS anti-hold	· standard configuration	standard configuration	· standard configuration	· standard configuration	standard configuration	· standard configuration
	Braforce Distribution (EBD / CBC etc.)	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Brake Assist (EBA / BA, etc.)	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Traction control (TCS / ASR, etc.)	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Body stabilization system (ESP / DSC, etc.)	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
		· Lane departure warning	—	—	· Lane departure warning	· Lane departure warning	· Lane departure warning
		· Front collision warning	—	—	· Front collision warning	· Front collision warning	· Front collision warning

	Heup Display System (HUD)	· standard configuration	—	—	—	—	· standard configuration
	Augmented Reality Head Display System (AR-HUD)	· standard configuration	—	—	—	—	· standard configuration
	Built-in driving is the most instrument	. apolegamy	—	—	—	. apolegamy	. apolegamy
	active noise reduction	—	—	—	—	· standard configuration	· standard configuration
	Mobile ph— wireless charging	· standard configuration	—	—	—	· standard configuration	· standard configuration
	The 12V power interface of the luggage compartment	· standard configuration					
Seat configuration	Seat material	· imitation leather · Skin weaving mixed cover	· imitation leather —	· imitation leather —	· imitation leather . Skin weaving mixed cover	· imitation leather . Skin weaving mixed cover	· imitation leather Skin weaving mix and match
	Seat layout	· 2+3	· 2+3	· 2+3	· 2+3	· 2+3	· 2+3
	Seat electric adjustment	· Main driver's seat · Co-pilot position	· Main driver's seat —	· Main driver's seat —	· Main driver's seat · Co-pilot position	· Main driver's seat · Co-pilot position	· Main driver's seat · Co-pilot position
	Overall adjustment of the main driving seat	· shuttle · Back Angle · High and low adjustment	· shuttle · Back Angle · High and low adjustment	· shuttle · Back Angle · High and low adjustment	· shuttle · Back Angle · High and low adjustment	· shuttle · Back Angle · High and low adjustment	· shuttle · Back Angle · High and low adjustment
	Local adjustment of the main driving seat	· headrest · loin	· headrest —	· headrest —	· headrest · loin	· headrest · loin	· headrest · loin
	Overall adjustment of the front passenger seat	· shuttle · High and low adjustment · Back Angle	· shuttle —	· shuttle —	· shuttle · High and low adjustment · Back Angle	· shuttle · High and low adjustment · Back Angle	· shuttle · High and low adjustment · Back Angle
	Local adjustment of the front passenger seat	· headrest					
	Second row seat overall adjustment	· Backrest Angle adjustment	· Backrest Angle adjustment	· Backrest Angle adjustment	· Backrest Angle adjustment	· Backrest Angle adjustment	· Backrest Angle adjustment
	Second row seat local adjustment	—	—	—	—	—	—
		· heat	—	—	· heat	· heat	· heat

Voice-called rabbit wake-up function	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
Voice subarea wake-up recognition function	· Main driving	· Main driving	· Main driving	· Main driving	· Main driving	· Main driving
	· copilot	· copilot	· copilot	· copilot	· copilot	· copilot
	· second row	—	—	· second row	· second row	· second row
Voice assistant wake-up words	Hello geely	Hello geely	Hello geely	Hello geely	Hello geely	Hello geely
Wi-Fi hot spot	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
Video entertainment	Multi-finger flying screen control	· standard configuration	—	—	· standard configuration	· standard configuration
	application store	· standard configuration				
	Multimedia connection [·USB/Type-C	USB/Type-C	USB/Type-C	USB/Type-C	USB/Type-C
]	· Two in the front row				
	Number of USB / Type-C interfaces	· Two rear rows				
	—	·6	—	—	—	—
	Number of speakers (pcs.)	—	—	· 8	· 8	—
	·10	—	—	—	·10	·10
Lighting configuration	dipped headlight	· LED	· LED	· LED	· LED	·LED
	high beam	· LED	.LED	·LED	.LED	·LED
	Daytime running lights	· standard configuration				
	Eyes adapt to near and far light	· standard configuration	—	—	· standard configuration	· standard configuration
	Automatic headlights	· standard configuration				
	Headlights are highly adjusted	· standard configuration				
	Electric window	· front row				
		· back row				
	— click on the window	· The whole car				
	Window anti-clamp hand function	· standard configuration				

Glass / rearview mirror	External rearview mirror function	· Diagram representation of electric motor regulation	· Diagram representation of electric regulation o	· Diagram representation of electric motor regulation			
		· heat	· heat	· heat	· heat	· heat	· heat
		· Electric folding	—	· Electric folding	· Electric folding	· Electric folding	· Electric folding
		Lock the car to move the discount fee	—	Lock the car and turn the car	· Lock the car and fold it visually	Lock the car and turn the car	· Lock the car and fold it visually
	Internal rearview mirror function	· Automatic anti-glare protection	—	—	—	· Automatic anti-glare protection	· Automatic anti-glare protection
	The car is made up of ytterbium	Main driving seat + with lighting	Main driving seat + with lighting	· Main driving seat + with lighting	· Main driving seat + with lighting	· Main driving seat + with lighting	· Main driving seat + with lighting
		· Passenger seat + with lighting	· Passenger seat + with lighting	· Passenger seat + with lighting	· Passenger seat + with lighting	· Passenger seat + with lighting	· Passenger seat + with lighting
	Rear privacy slope glass	· standard configuration	—	—	—	· standard configuration	· standard configuration
	Inside the car shade	—	—	—	—	—	—
	Rain-sensing type wiper	· standard configuration	—	· standard configuration	· standard configuration	· standard configuration	· standard configuration
Windshield	After the wiper	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	The rear window glass is opened	—	—	—	—	—	—
	Multiple layers separated by the first slope glass	· front row	—	—	· front row	· front row	· front row
	Front windshield heating	—	—	—	—	—	—
	The water nozzle can be heated	—	—	—	—	—	—
	Air conditioning control mode	· voluntarily	· voluntarily	· voluntarily	· voluntarily	· voluntarily	· voluntarily
	Independent empty words in the back row	· standard configuration	—	—	—	· standard configuration	· standard configuration
Windscreen wipers	After the discharge of wind	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Temperature partition	—	—	· Double area air conditioning	· Double area air conditioning	—	—

Air conditioning / refrigerator	control	· Air conditioning in three districts	—	—	—	· Air conditioning in three districts	· Air conditioning in three districts
	Interior PM2.5 filter device	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Vehicle learning system	· Geely Galaxy OS	· Geely Galaxy OS	· Geely Galaxy OS	· Geely Galaxy OS	Geely Galaxy OS	· Geely Galaxy OS
	Car back can chip	The Qualcomm Snapdragon 8155	The Qualcomm Snapdragon 8155	· Qualcomm Snapdragon 8155	The Qualcomm Snapdragon 8155	The Qualcomm Snapdragon 8155	· Qualcomm Snapdragon 8155
	Mobile ph— App for remote control	· Vehicle monitoring	· Vehicle monitoring	· Vehicle monitoring	· Vehicle monitoring	· Vehicle monitoring	· Vehicle monitoring
		· telecontrol	· telecontrol	· telecontrol	· telecontrol	· telecontrol	· telecontrol
		· Service appointment	· Service appointment	· Take the square to	· Service appointment	· Service appointment	· Service appointment
		· Digital key	—	—	—	· Digital key	· Digital key
	Number of external cameras (s)	· 5	· 1	· 5	· 5	· 5	· 5
	Number of cameras in car (s)	—	—	—	—	· 1	· 1
	Number of ultrasonic radars (s)	· 8	· 4	· 4	· 8	· 12	· 12
	Number of millimeter-wave radars (s)	—	—	—	· 1	· 5	· 5
Choose the pack	Custom optional	Choose the appearance, interior decoration, wheel hub, and system	Optional exterior training for interior wheel and rail students	Optional exterior, interior decoration, wheel hub, and system	Choose the appearance, interior decoration, wheel hub, and system	Optional exterior, interior decoration, wheel hub, and system	Optional exterior, interior decoration, wheel hub, and system
		Move the device	Move the device	Move the device	1 optional package	Activer 1 choice love bag	1 optional package
	Cui Yu magic color suit	Cui Yu magic color special car paint, magic color double	Limited company □ sex wide body plus	Cui Yu magic color special car paint, magic color double	Cui Yu magic color special car paint, magic color double	Green feather magic color special car add, magic color double	Cui Yu magic color special car paint, magic color double
		Suede interior, 20-inch double five-spoke	But no, no	Deer skin interior, 20-inch double five-spoke	Suede interior, 20-inch double five-spoke	Suede interior, 20-inch double five-spoke	Suede interior, 20-inch double five-spoke
		Pulse wheel hub, magic color exclusive car keys	Deer skin interior 20 miles meter double five spoke	Pulse wheel hub, magic color exclusive car keys	Pulse wheel hub, magic color exclusive car keys	Pulse wheel hub, magic color exclusive car keys	Pulse wheel hub, magic color exclusive car keys

	Pulse wheel hub magic color exclusive car molybdenum ratio				
. Optional is 5000 yuan		—	. Optional is 5000 yuan	. Optional is 5000 yuan	. Optional is 5000 yuan