

Product Parameter Configuration Table (Honda CR-V PHEV)

Model Number		Honda CR-V PHEV 2023 model e: PHEV 2.0L collar edition	Honda CR-V PHEV 2023 e: PHEV 2.0L collar version	Honda CR-V PHEV 2023 e: PHEV 2.0L collar version
essential information	rank	compact SUV	compact SUV	compact SUV
	Energy type	Plug-in electric hybrid power system	Plug-in electric hybrid power system	Plug-in electric hybrid power system
	engine	2.0L150 HP L4 plug-in hybrid	2.0L150 HP L4 plug-in hybrid	2.0L 150 HP L4 plug-in hybrid
		Together with the power	Together with the power	Together with the power
	Pure electric range (km) of the Ministry of Industry and Information Technology	73	73	71
	Pure electric range (km) WLTC	73	73	71
	Comprehensive range (km) WLTC	916	916	
	Charging time (hours)	Slow charge for 2.5 hours	Slow charge for 2.5 hours	Slow charge for 2.5 hours
	Maximum engine power (kW)	110(150Ps)	110(150Ps)	110(150Ps)
	Maximum motor power (kW)	135(184Ps)	135(184Ps)	135(184Ps)
	Maximum engine torque (N·m)	183	183	183
	Maximum torque of electric motor (N·m)	335	335	335
	gear-box	E-CVT without any stage of variable speed	E-CVT without any stage of variable speed	E-CVT without any stage of variable speed
	Length x, width x, height (mm)	4703x1866x1680	4703x1866x1680	4703x1866x1680
	bodywork	A 5-door, 5-seat SUV	A 5-door, 5-seat SUV	A 5-door, 5-seat SUV
	Top vehicle speed (km/h)	193	193	193
	Official 100 km acceleration time (s)	—	—	—
	WLTC combined fuel consumption (L / 100km)	1.61	1.61	1.75
	Power consumption per 100km (kWh / 100 km)	—	—	14.6kWh
	Electricity-equivalent to fuel consumption (L/100km)	1.6	1.6	1.6
body of car	long (mm)	4703	4703	4703
	wide (mm)	1866	1866	1866
	tall (mm)	1680	1680	1680
	wheel base (mm)	2701	2701	2701
	front gauge (mm)	1611	1611	1611
	rear track (mm)	1627	1627	1627
	bodywork	SUV	SUV	SUV
	Number of doors (one)	5	5	5

	Door opening mode	vertical hinged door	vertical hinged door	vertical hinged door
	Number of seats (individual)	5	5	5
	curb weight (kg)	1880	1906	1923
	Full-load mass (kg)	2430	2430	2430
	fuel tank capacity (L)	46.5	46.5	46.5
	Baggage compartment volume (L)	—	—	—
engine	engine type	LFB16	LFB16	LFB16
	displacement (mL)	1993	1993	1993
	displacement (L)	2	2	2
	Intake form	normally aspirated	normally aspirated	normally aspirated
	Engine layout form	Horizontal	Horizontal	Horizontal
	Cylinder arrangement form	LB	L	L
	Number of cylinders (individual)	4	4	4
	Number of valves per cylinder (full)	4	4	4
	reduction ratio	13.9	13.9	13.9
	admission gear	DOHC	DOHC	DOHC
	maximum horsepower (Ps)	150	150	150
	maximum power (kW)	110	110	110
	Maximum power rotation speed (rpm)	6100	6100	6100
	Maximum torque (N · m)	183	183	183
	Maximum torque rotation speed (rpm)	4500	4500	4500
	Engine thermal efficiency of (%)	41	41	41
	Fuel form	Plug-in electric hybrid power system	Plug-in electric hybrid power system	Plug-in electric hybrid power system
	Fuel label	92#	92#	92#
	Oil supply method	direct injection	direct injection	direct injection
	Cylinder cap material	aluminium	aluminium	aluminium
Cylinder material	aluminium	aluminium	aluminium	
Environmental standards	country VIB	country VI	country VI	
electric motor	Description of motor	Plug-in hybrid with 184 horsepower	Plug-in hybrid with 184 horsepower	Plug-in hybrid with 184 horsepower
	Motor type	Permanent magnet / synchronization	Permanent magnet / synchronization	Permanent magnet / synchronization
	Total power of electric motor (kW)	135	135	135
	Total motor horsepower (Ps)	184	184	184
	Total torque of Electric Motor (N-m)	335	335	335
	Maximum power of the front motor (kW)	135	135	135
	Maximum torque of the front motor (N · m)	335	335	335
	Number of driving motors	Single motor	Single motor	Single motor
	Motor layout	prepose	prepose	prepose
Battery type	Three yuan lithium battery back	Three yuan lithium battery	Three yuan lithium battery	
Battery brand	Ningde era	Ningde era	Ningde era	
Battery pack warranty	8 years or 150,000 km	8 years or 150,000 km	8 years or 150,000 km	

Battery / charge	Battery capacity (kWh)	17.7	17.7	17.7
	Battery energy density (Wh / kg)	—	—	—
	Battery charging	Slow charge for 2.5 hours	Slow charge for 2.5 hours	Slow charge for 2.5 hours
	Fast charging interface position	—	—	—
	Slow charging interface position	Left flank plate	Left flank plate	Left flank plate
	Battery temperature management system	· blue heating	· blue heating	· blue heating
		· Liquid cooling	· Liquid cooling	· Liquid cooling
	Single pedal mode	—	—	—
The VTOL mobile power station function	—	—	—	
gear-box	Transmission description	E-CVT without any stage of variable speed	E-CVT without any stage of variable speed	E-CVT without any stage of variable speed
	Block digits	infinitely variable speeds	infinitely variable speeds	infinitely variable speeds
	Transmission type	Electronic stepless transmission (E-CVT)	Electronic stepless transmission (E-CVT)	Electronic stepless transmission (E-CVT)
Chassis / steering	Drive way	Front-engine	Front-engine	Front-engine
	Before the county hanging form	McPherson type independent suspension	McPherson type independent suspension	McPherson type independent suspension
	After the hanging form	Multi-link type independent burst hanging	Multi-link type independent burst hanging	Multi-link type independent burst hanging
	Steering type	Electric power	Electric power	Electric power
	car body structure	Carrying type	Carrying type	Carrying type
Wheel / Brake	Front Brake Type	Ventilation disc type	Ventilation disc type	Ventilation disc type
	Rear brake type	Solid disk type	Solid disk type	Solid disk type
	Parking brake type	Electronic parking	Electronic parking	Electronic parking
	Front tire specifications and dimensions	235/60 R18	235/60 R18	235/55 R19
	Rear tire size size	235/60 R18	235/60 R18	235/55 R19
	Formal specification	—	—	—
	Place the spare tire	—	—	—
Active safety	ABS anti-lock	· standard configuration	· standard configuration	· standard configuration
	Braforce Distribution (EBD / CBC etc.)	· standard configuration	· standard configuration	· standard configuration
	Brake Assist (EBA / BA, etc.)	· standard configuration	· standard configuration	· standard configuration
	Traction control (TCS / ASR, etc.)	· standard configuration	· standard configuration	· standard configuration
	Body stabilization system (ESP / DSC, etc.)	· standard configuration	· standard configuration	· standard configuration
	Front knee airbags	· Main driver's seat	· Main driver's seat	· Main driver's seat
		· Co-pilot position	· Co-pilot position	· Co-pilot position
	Central airbag	—	—	—
	The seat belt is not indicated	· standard configuration	· standard configuration	· standard configuration
	Tire pressure monitoring system	· Tire pressure alarm	· Tire pressure alarm	· Tire pressure alarm

	Child Seat interface (ISOFIX)	· standard configuration	· standard configuration	· standard configuration
	Passive pedestrian protection safety tread	—	—	—
Auxiliary / handling configuration	Parking radar	—	· front	· front
		· behind	· behind	· behind
	The front car leaves the reminder	—	—	—
	Driving assistance images	· Reverse image	· Reverse image	· Reverse image
		—	, Side blind area image	, Side blind area image
		—	· 360° panoramic image	· 360° panoramic image
	Cruise system	· Cruise at fixed speed	· Cruise at fixed speed	· Cruise at fixed speed
		· Adaptive cruise	· Adaptive cruise	· Adaptive cruise
		· Full-speed adaptive cruise	· Full-speed adaptive cruise	· Adaptive and dirty patrol at full speed
	Automatic lane change assist	—	—	· standard configuration
	Active security early warning system	· Lane departure warning	· Lane departure warning	· Lane departure warning
		· Front collision warning	· Front collision warning	· Front collision warning
		—	· Reversing car side warning	· Reversing car side warning
	Active brake	· standard configuration	· standard configuration	· standard configuration
	And line auxiliary	—	· standard configuration	· standard configuration
	Lane-keeping assist system	· standard configuration	· standard configuration	· standard configuration
	The lane is held in the center	· standard configuration	· standard configuration	· standard configuration
	Fatigue driving tips	· standard configuration	· standard configuration	· standard configuration
	Active DMS fatigue testing	—	—	—
Detection of vital signs in the vehicle	—	—	—	
Road traffic sign identification	· standard configuration	· standard configuration	· standard configuration	
Signal lamp identification	—	—	—	
night vision system	—	—	—	
Front air bag	· Main driver's seat	· Main driver's seat	· Main driver's seat	
	· Co-pilot position	· Co-pilot position	· Co-pilot position	
Side airbags	· front row	· front row	· front row	
	· back row	· back row	· back row	
Side safety curtain	· standard configuration	· standard configuration	· standard configuration	
Autoramp (in)	—	—	—	
Auxiliary driving level	· L2 level	· L2 level	· L2 level	
Automatic parking	—	—	· standard configuration	
Follow the reverse	—	—	—	
Memory parking	—	—	—	

Passive safety	Automatic parking (AUTOHOLD)	· standard configuration	· standard configuration	· standard configuration
	Uphill Assist (HAC)	· standard configuration	· standard configuration	· standard configuration
	Steslope descent (HDC)	· standard configuration	· standard configuration	· standard configuration
	Engine start-stop technology			
	Variable violent hanging regulation	· soft or hard	· soft or hard	· soft or hard
	air suspension	—	—	—
	Electromagnetic sensing device hanging	—	—	—
	Variable steering ratio system	· standard configuration	· standard configuration	· standard configuration
	Front bridge limited sliding mode	—	—	—
	The sliding mode of the rear bridge	—	—	—
	Central differential locking function	—	—	—
	Low speed four-wheel drive	—	—	—
	Overall active steering system	—	—	—
	Driving mode selection	· movement	· movement	· movement
		· snowfield	· snowfield	· snowfield
		·ECO/ economy	·ECO/ economy	·ECO/ economy
, Standard comfort		· Standard comfort	· Standard comfort	
Brake energy recovery system	· standard configuration	· standard configuration	· standard configuration	
Low-speed driving warning sound	· standard configuration	· standard configuration	· standard configuration	
External configuration	Sunroof type	, Can open the panoramic skylight	, Can open the panoramic day origin	, Can open the panoramic skylight
	Light sense sky curtain	—	—	—
	roof rack	—	—	—
	Sports appearance kit	—	—	—
	Electric spoiler	—	—	—
	Active closed air intake grille	—	—	—
	Aluminum alloy hub	· standard configuration	· standard configuration	· standard configuration
	Car side foot pedal	—	—	—
	Frameless design door	—	—	—
	Hidden door handle	—	—	—
	Drag hook	—	—	—
interior collocation	Steering wheel material	· plastics	—	—
		—	· corium	· corium
	Steering wheel adjustment	· Up and down + before and after	· Up and down + before and after	· Up and down + before and after
	Steering wheel electric adjustment	—	—	—
	Steering wheel function	· Multifunction control	· Multifunction control	· Multifunction control
		—	—	· heat
	Driving computer screen	· multicolour	· multicolour	· multicolour
LCD instrument style	· Full LCD	· Full LCD	· Full LCD	
LCD instrument size (inches)	·10.2	· 10.2	·10.2	

Comfort / anti-theft configuration	Electric suction door	—	—	—
	Electric rear door	—	· standard configuration	· standard configuration
	Inductive rear door	—	· standard configuration	· standard configuration
	Electric motor rear tail gate position memory	—	· standard configuration	· standard configuration
	Engine electronic anti-theft	· standard configuration	· standard configuration	· standard configuration
	Central control lock in the car	· standard configuration	· standard configuration	· standard configuration
	Remote key type	· Intelligent remote control key	· Intelligent remote control key	· Intelligent remote control key
		—	· The Bluetooth key of the mobile phone	· The Bluetooth key of the mobile phone
	Keyless entry	· front row	· front row	· front row
	Overall adjustment of the main driving seat	· shuttle	· shuttle	· shuttle
		· Back Angle	· Back Angle	· Back Angle
		· High and low adjustment	· High and low adjustment	· High and low adjustment
	Local adjustment of the main driving seat	· headrest	· headrest	· headrest
		—	· loin	· loin
	Overall adjustment of the front passenger seat	· shuttle	· shuttle	· shuttle
		· Back Angle	· Back Angle	· Back Angle
	Local adjustment of the front passenger seat	· headrest	· headrest	· headrest
	Second row seat overall adjustment	· shuttle	· shuttle	· shuttle
		· Backrest Angle adjustment	· Backrest Angle adjustment	· Backrest Angle adjustment
	Second row seat local adjustment	—	—	—
	Front seat function	—	· heat	· heat
		—	—	· ventilate
		—	—	· Memory (main driver)
	Second-row seat function	—	· heat	· heat
	The third row of seat function	—	—	—
	Boss key	—	—	—
	Front / rear armrest	· front row	· front row	· front row
		· back row	· back row	· back row
	Keyless start	· standard configuration	· standard configuration	· standard configuration
	Remote start	· standard configuration	· standard configuration	· standard configuration
	Remote control mobile vehicle	—	—	—
Vehicle call function	—	—	—	
Heup Display System (HUD)	—	· standard configuration	· standard configuration	
Built-in dashcam	—	—	· standard configuration	
Original factory ETC	· standard configuration	· standard configuration	· standard configuration	
active noise reduction	· standard configuration	· standard configuration	· standard configuration	

	Mobile phone wireless charging		· standard configuration	· standard configuration
	110V / 220V / 230V power outlet	—	—	—
	The 12V power interface of the luggage compartment	· standard configuration	· standard configuration	· standard configuration
Seat configuration	Seat material	· textile	· corium	· corium
	Sports style seats	—	—	—
	Seat layout	· 2+3	· 2+3	· 2+3
	Second row of independent seats	—	—	—
	The third row of seats	—	—	—
	Seat electric adjustment	—	· Main driver's seat	· Main driver's seat
		—	· Co-pilot position	· Co-pilot position
	The rear cup holder	· standard configuration	· standard configuration	· standard configuration
	Heating / cooled cup holder	—	—	—
	The rear seat falls proportionally	· 40:60	· 40:60	· 40:60
	The rear seat is electrically retracted	—	—	—
	The second row of small plates	—	—	—
Intelligent interconnection	Central control screen size (inches)	· 10.1	· 10.1	· 10.1
	Touch screen vibration feedback	—	—	—
	GPS guidance system	· standard configuration	· standard configuration	· standard configuration
	AR real navigation	—	—	· standard configuration
	Navigation road condition information display	· standard configuration	· standard configuration	· standard configuration
	Road rescue services	· standard configuration	· standard configuration	· standard configuration
	Bluetooth / vehicle phone	· standard configuration	· standard configuration	· standard configuration
	Mobile phone interconnection mapping	· CarLife	· CarLife	· CarLife
	The Internet of cars	· standard configuration	· standard configuration	· standard configuration
	4G/5G network	· 4G	· 4G	· 4G
	OTA upgrade	· standard configuration	· standard configuration	· standard configuration
	Speech recognition control system	· standard configuration	· standard configuration	· standard configuration
	Voice wake-free function	—	—	—
	Voice subarea wake-up recognition function	· Main driving	· Main driving	· Main driving
	Continuous speech recognition	—	—	—
	Visible to say	—	—	—
	Voice assistant wake-up words	Hello Honda	Hello Honda	Hello Honda
Gesture control function	—	—	—	

	Wi-Fi hot spot	· standard configuration	· standard configuration	· standard configuration
Video entertainment	Multi-finger flying screen control	—	—	—
	application store	—	—	—
	Multimedia interface	· USB/Type-C	· USB/Type-C	· USB/Type-C
	Number of USB / Type-C interfaces	· Two in the front row	· Two in the front row	· Two in the front row
		· Two rear rows	· Two rear rows	· Two rear rows
	USB / Type-C maximum charging power	Front row 10W	Front row 10W	Front row 10W
		Back row 10W	Back row 10W	Back row 10W
	Car TV	—	—	—
	Rear LCD screen	—	—	—
	Simulation of sound waves	—	—	—
	Audio brand	—	—	· BOSE
Number of speakers (full)	· 8	· 8	· 12	
Rear-row multimedia control	—	—	—	
Lighting configuration	dipped headlight	· LED	· LED	· LED
	high beam	· LED	· LED	· LED
	Daytime running lights	· standard configuration	· standard configuration	· standard configuration
	Adaptive near and far light	· standard configuration	· standard configuration	· standard configuration
	Automatic headlights	· standard configuration	· standard configuration	· standard configuration
	Steering auxiliary light	—	—	· standard configuration
	Before the light	—	—	—
	Headlights following the steering (AFS)	—	—	—
	Headlights are highly adjusted	· standard configuration	· standard configuration	· standard configuration
	Headlight cleaning function	—	—	—
	Inside the car atmosphere light	—	· black and white	· black and white
	Active ambient atmosphere lamp	—	—	—
	Light features	—	—	—
	Headlights are shut down delay	· standard configuration	· standard configuration	· standard configuration
	Headlamps in rain-fog mode	—	—	—
	Air conditioning / refrigerator	Air conditioning control mode	· voluntarily	· voluntarily
Rear independent air conditioning		—	—	—
The rear air outlet		· standard configuration	· standard configuration	· standard configuration
Temperature partition control		—	· Double area air conditioning	· Double area air conditioning
Car-mounted air purifier		—	· standard configuration	· standard configuration
Interior PM2.5 filter device		· standard configuration	· standard configuration	· standard configuration
HEPA filtrating equipment		—	—	—
negative ion generator		—	· standard configuration	· standard configuration

	Inside the car fragrance nitrogen device	—	—	—
	car refrigerator	—	—	—
Glass / rearview mirror	Electric window	· front row	· front row	· front row
		· back row	· back row	· back row
	One click on the window	· Main driver's seat	· Main driver's seat	· The whole car
	Window anti-clamp hand function	· standard configuration	· standard configuration	· standard configuration
	External rearview mirror function	· electrical control	· electrical control	· electrical control
			· heat	· heat
		· Electric folding	· Electric folding	· Electric folding
		—	—	· memory
		—	· Reverse down automatically	· Reverse down automatically
	Internal rearview mirror function	· Lock the car and automatically fold the incense	· Lock the car and fold it automatically	· Lock the car and automatically fold the incense
		· Automatic anti-glare protection	· Automatic anti-glare protection	· Automatic anti-glare protection
	Inside the car makeup mirror	—	—	· streaming media
		· Main driving seat + with lighting	· Main driving seat + with lighting	· Main driving seat + with lighting
		· Passenger seat + with lighting	· Passenger seat + with lighting	· Passenger seat + with lighting
Rear privacy glass	· standard configuration	· standard configuration	· standard configuration	
Inside the car shade	—	—	—	
Rain-sensing type wiper	—	· standard configuration	· standard configuration	
After the wiper	· standard configuration	· standard configuration	· standard configuration	
The rear window glass is opened	—	—	—	
Multi-layer sound insulation glass	· front row	· front row	· front row	
Intelligent configuration	Mobile phone App for remote control	· Vehicle monitoring	· Vehicle monitoring	· Vehicle monitoring
		· telecontrol	· telecontrol	· telecontrol
		· Charging management	· Charging management	· Charging management
		· Service appointment	· Service appointment	· Service appointment
		—	· Digital key	· Digital key
	Heat pump management system	—	—	—
	Number of external cameras (s)	·2	·6	·8
	Outside the car camera head pixel	—	—	—
	Interior camera head pixels	—	—	—
	Number of ultrasonic radars (s)	· 4	·8	· 12
	Number of millimeter-wave radars (s)	·1	·3	·5
Submeter-level high-precision positioning system	—	—	—	
High precision map	—	—	—	

Sentinel (Clairvoyant) mode	—	—	—
V2X communication	—	—	—
Auxiliary driving operating system	Honda SENSING	·Honda SENSING	—
	—	—	· Honda SENSING 360
Vehicle intelligent system	· Honda CONNECT	· Honda CONNECT	· Honda CONNECT